## **Combinatorics Seminar**

Wednesday April 15th, 2015 3:50 PM-4:50 PM in Hume 331

## Hamiltonian-Connected Line Graphs with Given Degree Sums

## Dr. Aimei Yu

Beijing Jiaotong University

**ABSTRACT** In 1984, Bauer proposed the problems of determining best possible sufficient conditions on the vertex degrees of a simple graph (or a simple bipartite graph, or a simple triangle-free graph, respectively) G to ensure that its line graph L(G) is hamiltonian.

We investigate the problems of determining best possible sufficient conditions on the vertex degrees of a simple graph G to ensure that its line graph L(G) is hamiltonian-connected, and prove the following.

(i) Let G be a simple graph on n vertices and a, b be real numbers with  $0 < a \leq 1$ . There exist an integer N(a, b) and a finite family  $\mathcal{F}(a, b)$  such that if  $n \geq N(a, b)$  and if  $d_G(u) + d_G(v) \geq an + b$  for any  $u, v \in V(G)$  with  $uv \notin E(G)$ , then either L(G) is hamiltonian-connected, or  $\kappa(L(G)) \leq 2$ , or G can be contracted to a member in  $\mathcal{F}(a, b)$ .

(ii) Let G be a simple graph on n vertices. If  $d_G(u) + d_G(v) \ge \frac{n}{4} - 2$  for any  $u, v \in V(G)$  with  $uv \notin E(G)$ , then for sufficiently large n, either L(G) is hamiltonian-connected, or  $\kappa(L(G)) \le 2$ , or G can be contracted to  $W_8$ , the Wagner graph.

(iii) Let G be a simple triangle-free (or bipartite) graph on n vertices. If  $d_G(u) + d_G(v) \geq \frac{n}{8}$  for any  $u, v \in V(G)$  with  $uv \notin E(G)$ , then for sufficiently large n, either L(G) is hamiltonian-connected, or  $\kappa(L(G)) \leq 2$ , or G can be contracted to  $W_8$ , the Wagner graph.

This is joint work with Jianping Liu, Keke Wang and Hongjian Lai.

**Keywords:** hamiltonian-connected, line graphs, spanning trailable graphs, collapsible graphs, reduction.